

High Performance Sorting Systems

Components Catalogue



490 telescopic conveyor, accessory parts



... Bilder nach dem Foto verfügbar
Unfortunately all no photo available!

17416

telescopic conveyor , accessories belt telescope , variab. feet
f. overall height

conveying medium

field of application

Cargo handling with individual weights up to
50kg(110lbs).

maintenance

frame

Constucture of pulver-coated square steel tubes.

accessories

drive

.

speed and performance

power supply

additional features

geometric dimensions



TF.ZFA

telescopic conveyor , accessories belt telescope , carrier , without drive

field of application

Cargo handling with individual weights up to 50kg(110lbs).

frame

Construction made from steel profiles. With in surface mounted track system.

drive

power supply

geometric dimensions

conveying medium

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

accessories

All conveyors and components are performed for the use with a wide range of accessories. Accessories are, only excerpts, supports, side guides, light barriers, scanners, roller guides, and many parts more.

speed and performance

additional features



ID: 2289

telescopic conveyor , accessories belt telescope

conveying medium

field of application

Cargo handling with individual weights up to 50kg(110lbs).

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

frame

accessories

drive

speed and performance

power supply

additional features

geometric dimensions



... Leider kein Bild Foto verfügbar
Unfortunately no photo available

ID: 4061

telescopic conveyor , accessories belt telescope

conveying medium

field of application

Cargo handling with individual weights up to 50kg(110lbs).

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

frame

accessories

drive

speed and performance

power supply

additional features

geometric dimensions



TF.ZBH

telescopic conveyor , accessories belt telescope

field of application

Cargo handling with individual weights up to 50kg(110lbs).

frame

Construction of pulver-coated steel sheet.

drive

Belt pulleys with high performance brand-name self aligning roller bearings.

power supply

geometric dimensions

Free Choice

conveying medium

Endless welded brand-name belts.

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

accessories

All conveyors and components are performed for the use with a wide range of accessories. Accessories are, only excerpts, supports, side guides, light barriers, scanners, roller guides, and many parts more.

speed and performance

additional features



ID: 6734

telescopic conveyor , accessories belt telescope

field of application

Cargo handling with individual weights up to 50kg(110lbs).

frame

Construction of pulver-coated steel sheet.

drive

Belt pulleys with high performance brand-name self aligning roller bearings.

power supply

geometric dimensions

Free choice

conveying medium

Endless welded brand-name belts.

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

accessories

All conveyors and components are performed for the use with a wide range of accessories. Accessories are, only excerpts, supports, side guides, light barriers, scanners, roller guides, and many parts more.

speed and performance

additional features



TFR.ZHÖ

telescopic conveyor , level adjustment , without

conveying medium

field of application

Cargo handling with individual weights up to 50kg(110lbs).

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

frame

Constucture of pulver-coated square steel tubes. Plastic linings in natural colour.

accessories

drive

Hydraulic power unit with integrated bank of valves.

speed and performance

power supply

power supply: 1,5kW

additional features

geometric dimensions



TF.ZHÖ5000

telescopic conveyor , level adjustment , variable rise

conveying medium

field of application

Cargo handling with individual weights up to 50kg(110lbs).

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

frame

Constucture of pulver-coated square steel tubes. Plastic linings in natural colour.

accessories

All conveyors and components are performed for the use with a wide range of accessories. Accessories are, only excerpts, supports, side guides, light barriers, scanners, roller guides, and many parts more.

drive

Hydraulic power unit with integrated bank of valves.rmanace brand-name self aligning roller bearings.

speed and performance

power supply

power supply: 1,5kW

additional features

geometric dimensions



TF.ZHÖ6000

telescopic conveyor , level adjustment , variable rise

conveying medium

field of application

Cargo handling with individual weights up to 50kg(110lbs).

maintenance

All part are performed for easy maintenace and long lifecycle. All bearings are lifecycle lubricated. Geared motors are free of maintenace and filled with high performance synthetic oil. Therefore you have only a minimum of maintenace and sparepart cost.

frame

Constucture of pulver-coated square steel tubes. Plastic linings in natural colour.

accessories

All conveyors and components are performed for the use with a wide range of accessories. Accessories are, only excerpts, supports, side guides, light barriers, scanners, roller guides, and many parts more.

drive

Hydraulic power unit with integrated bank of valves.

speed and performance


power supply

power supply: 1,5kW

additional features

geometric dimensions

Your way to COMSORT



COMSORT GmbH

www.comsort.de



COMSORT GMBH
FELIX-WANKEL-STR. 11
D- 59174 KAMEN



FON : +49 (0) 2307 / 2615-10
FAX : +49 (0) 2307 / 2615-20
Email : info@COMSORT.de